



CRF Problem Report

The Scientific and Technical Information Center (STIC) experienced a problem when processing the following computer readable form (CRF):

Application Serial Number: /0/621, 485
Filing Date: 7/16/03
Date Processed by STIC: 7/28/2003

STIC Contact: Mark Spencer, 703-308-4212

Nature of Problem:

•	•
The CRF (was):	•
(circle one) Damaged or Unread	lable (for Unreadable, see attached)
Blank (no files on CRF) (see at	tached)
Empty file (filename present, bu	at no bytes in file) (see attached)
Virus-infected. Virus name:	The STIC will not process the CRF.
Not saved in ASCII text	
Sequence Listing was embedded	ed in the file. According to Sequence Rules,
submitted file should only be	the Sequence Listing.
U Did not contain a Sequence Lis	ting. (see attached sample)
Other:	

PLEASE USE THE CHECKER VERSION 4.0 PROGRAM TO REDUCE ERRORS. SEE BELOW FOR ADDRESS:

http:/www.uspto.gov/web/offices/pac/checker

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail. Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom. Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

- I. EFS-Bio (http://www.uspto.gov/ebc/efs/downloads/documents.htm, EFS Submission User Manual ePAVE)
- 2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
- Hand Carry directly to:
 U.S. Patent and Trademark Office, Technology Center 1500, Reception Area, 7th Floor, Examiner Name,
 Sequence Information, Crystal Mall One, 1911 South Clark Street, Arlington, VA 22202
 - U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
- Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 1B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Revised 04/24/2003

MSDVAIVKEGWLHKRGEYIKTWRPRYFLLKNDGTFIGYKERPOI

MSDVAIVKEGWLHKRGEYIKTWRPRYFLLKNDGTFIGYKERPQDVDQREAPLNNFSVAQC 60
QLMKTERPRPNTFIIRCLQWTTVIERTFHVETPEEREEWTTAIQTVADGLKKQEEEEMDF 120
RSGSPSDNSGAEEMEVSLAKPKHRVTMNEFEYLKLLGKGTFGKVILVKEKATGRYYAMKI 180
LKKEVIVAKDEVAHTLTENRVLQNSRHPFLTALKYSFQTHDRLCFVMEYANGGELFFHLS 240
RERVFSEDRARFYGAEIVSALDYLHSEKNVVYRDLKLENLMLDKDGHIKITDFGLCKEGI 300
KDGATMKTFCGTPEYLAPEVLEDNDYGRAVDWWGLGVVMYEMMCGRLPFYNQDHEKLFEL 360
ILMEEIRFPRTLGPEAKSLLSGLLKKDPKQRLGGGSEDAKEIMQHRFFAGIVWQHVYEKK 420
LSPPFKPQVTSETDTRYFDEEFTAQMITITPPDQDDSMECVDSERRPHFPQFSYSASGTA 480

This is not a valid Sequence Listing. It is not in valid Somet. Pleese: 1) consult Sequerce Rules; 2) consult sample Sequence Listing (attached) for VALID also, Per 1.8240). Seguene Rules, submit only the Sequence Listing
file on computer readable form Do NOT wellede any other files on the computer readable form.

```
Smith, John: Smithgene Inc.
  <110>
  <120>
               Example of a Sequence Listing
               10000-10
  <130>
                                                                               <u>: بين</u>
               PCT/EP98/00001
 <140>
  <1(1)
               1998-12-31
 <150>
              US 08/999,999
 <151>
               1997-10-15
 <160>
 <170>
              Patentin version 2.0
 <210>
              389
 <211>
 <212>
              AMG
                                                          BEST AVAILABLE COPY
              Paramecium sp.
 <213>
 <220>
              CDS
 <221>
                     . . :
              (279) . . . (389)
 <222>
<300>
<301>
              Doc. Richard
              Isolation and Characterization of a Gene Encoding a
<302>
              Procease from Paramecium sp.
<303>
             Journal of Genes
<3045
<305>
<306>
             1 - 7
<307>
             1988-06-31
<308>
             123456
< 309>
             1988-06-31
<400>
                                                                                      60
             oltectgtgt'
09CL9L09LC
                          CCCCCCCCC
                                       cigggciici
                                                    caccetgeta
                                                                 nicagaicte
                                                                                     120
                                                   C399C399C3
999999969
             tettoacce.
                          cctctgcctt
                                       EGCAGCLICA
                                                                 9964996496
                                                                                     180
Egatgtggca
                                                   aggCttaggg
                                                                tgggttccgc
             actigetggea
                          gtgccacagg
                                       CEELLCAGEC
                                                                                     240
cocoococoo
             CGGCCCCCC
                         cgcgctcctc
                                       tegegeetet
                                                   ctctcgctct
                                                                cctctcgctc
```

Consult this:

Appendix 3, page 2

```
0400400999
                                                tgt ttg
Cys Leu
15
                                                                   gtt
Val
                                                             ttt
                                                                                    EEC
                    Lys Trp
                                                                              Leu
20
                                                                                    Phe
                                                                                          Cin
                                                                        ccg aat
Pro Asn
                                                      tca
                                                                                                389
                                      tgt
                                            His
                                                 Scr
                                                      Ser
                25
                                             30
                                                                         35
                                                                                      × .
 <210>
                37
  <212>
                PRT
                Paramecium sp.
 <400>
                                               The Lys
                                          Ser
                                                    Va l
 Phe
                                    Cys
                                                l.ys
                                                                                  Ser
                              Cln
                                          l'ro
             Pro
                   \sn
 <210>
 <211>
               11
 <212>
<213>
<220>
<223>
               Designed pentide based on size and polarity to act as a
               linker between the alpha and beta chains of Protein XYZ.
<210>
<400>
000
```

[Annex VIII follows]

BEST AVAILABLE COPY

toentreacts and their secondary into most only in the "Seq"

table. The numeric identifier shall be used only in the "Seq"

Listing." The order and presentation of the items of information in the "sequence Listing" shall conform to the arrangement given below. Each "sequence Listing" shall conform to the arrangement given below. Each "sequence Listing" shall conform to the arrangement given below. Each "numeric identifier enclosed in angle brackets as shown. The submission of those items of information designated with an "A" is mandatory. The of those items of information designated with an "O" is submission of those items of information designated with an "O" is optional. Numeric identifiers <110> through <170> shall only be set forth at the beginning of the "Sequence Listing." The following table illustrates the numeric identifiers:

111036200	•		
, Numeric Identifier	Definition	Comments and	Handatory (H) or Optional 10)
<110>	Applicant	Preferably max. of 10 names; one name per line;	H W
		preferable format: Surname, Other,- Names and/or Initials	
· <120>	Title of '		H
<130>	File Reference	Personal (ile reference	H, when filed prior to assignment of appl. number
<140>	Current Applica- tion Number	Specify as: US 07/999,999 or PCT/US96/99999	M, if available
<141>	Current Filing Date ~	Specify as: yyyy-mm-dd	M, if available
<150>	Prior Application Number	Specify as: US 07/999,999 or PCT/US96/99999	M, if applicable include priority documents under 35 USC 119 and 120
<151>	Prior Application Filing Date	Specify as: yyyy-mm-dd	M, if applicable
<160>	Number of SEQ 1D NOs	Count includes total number of SEQ ID NOs	14
<170>	Software	Name of software used to create the Sequence Listing	O _{.,}
<210>	SEQ ID NO:#:	Response shall be an integer representing the SEQ ID NO shown	BEST AVAILABLE COPY
<211>	Length	Respond with an integer expressing the number of bases or amino acid residues	м
			-,

sequence molecule is DNA, RNA, or PRT

RNA, or PRT [protein]. If a nucleotide sequence con-

sequence contains both DNA and RNA [rag-

ments, the type shall be "DNA." In ad-

dition, the combined DNA/ DNA molecule shall be further described in

the <220> to <223> feature section.

<213> . Organism

Scientific name, i.e. Genus/species. Unknown or Artificial Sequence. In addition, the "Unknown" or "Artificial Sequence" organisms shall be further described in the <220> to <223>

c220> feature

Leave blank after (220). (221-223) provide for a description of points of biological significance in the sequence.

(cature section.

M, under the following conditions: if "n,"
"Xaa," or a modified or unusual L-amino acid or modified base was used in a sequence; if ORGAN-ISM is "Artificial Sequence" or "Unknown"; if molecule is combined DNA/RNA.

SEST AVAILABLE COPY

<221>

Name/Key

Provide appropriate identifier for feature, pre-ferably from wiro Standard ST. 25 (1998).

Appendix 2,

M, under the (ollowing conditions:
i("n," "Xaa," or
a modi(ied or unusual L-amino
acid or modified
base was used in
a sequence

<222>

Location

Specify location within sequence; where appropriate state number of first and last bases/amino acids

Tables 5 and 6

M, under the [ollowing conditions: i("n," "Xaa," or a modified or unusual L-amino acid or modified

1779/99 L 53 PAL

was used in a sequence; if ongANISN is "Arctificial sequence" or "Unknown ?: id. = molecule is community of the maned was to sequence of "Unknown ?: id. = molecule is community of the maned was to sequence of "Unknown ?: id. = molecule is community of the named was to sequence of "Unknown ?: id. = molecule is community of the named was to sequence of "Unknown ?: id. = molecule is community of the named was to sequence of "Unknown ?: id. = molecule is community of the name per line; preferable formatic surfame, Other Names and/or Initials 102. Title 103. Journal 104. Volume 105. Journal date on which date published: specify as yyyy-mm dd, 1664-yyyy or Season-yyyy 106. Pages 107. Date Journal date on which date published: specify as yyyy-mm dd, 1664-yyyy or Season-yyyy 108. Accession number assigned by data has a nacluding database name database and database		<223>	Other Infor- mation	Other relevant information; four lines maximum.	•	H, under the fol- lowing conditions: if "n," "Xaa;" or - a modified or un- usual L-amino acid or modified base
Common C	•					
COOD Publication Leave blank is "Artificial Sequence" of "Unknown": if motificial is complicated by the complication of the case of the ca		•		• • •		
Canobase Accession Mumber Season Seas		-		•		organi sh
Company Comp			Ź			
complete is combined DNA/NNA		•	•			Sequence or
Comparison Leave blank of Information after (100) / Comparison after (100) / Comparison after (100) / Comparison after (100) / Comparison of ten named authors of publication; specify one name per line; preferable format: Surname, Other Hames and/or Initials Comparison of the Comparison of			•••	*		
Companies of the service of the serv		, .				morecule is com-
Comparison Leave blank Comparison Co		.•	• •		•	:
Information after (300) Authors Preferably max of ten named authors of publication; specify one name per line; preferable format: Surname, Other Hames and/or Initials (302) Title (303) Journal 0 (304) Volume 0 (305) Issue 0 (306) Pages 0 (307) Date Journal date on which data published; specify as yyyy-mm-dd, root-yyyy or Season-yyyy 0 (300) Database Accession number Accession; humber base including database name 0 (309) Database Entry Date of entry in database: specify as yyyy-mm-dd or root-yyyy or root-yyyy 0 (310) Patent Document Number (or patent-type or p		· .	6 .b 8 4 6 4	torvo blank		5
Authors Prefectably max of ten named authors of publications specify one name per line; prefetable format: Surname, Other Names and/or Initials Compared to the specify Operations and/or Operations of the specify as yyyymm od, 1004-yyyy Compared to the specify as yyyymm od, 1004-yyyy Compared to the specify as yyyymm of the specify of t		<300> ·		after <300> /		•
one name per line; preferable format: Surname, Other Hames and/or Initials O (302) Title (303) Journal (304) Volume (305) Issue (306) Pages (307) Oate Journal date on which data published; specify as yyyy-mm- dd, 1004; 1004; 17yyy or Season-yyyy (300) Database Accession assigned by data- Number Accession assigned by data- base including database name (309) Oatabase Entry Date of entry in database: specify as yyyy-mm-dd or profession- Number Oate of entry in database: specify as yyyy-mm-dd or profession- Number Obcument number: for patent-type citations only. Specify as, for example, US 07/999, 999		<301>	Authors	of ten named authors of publi-	- Y (
Surname, Other Names and/or Initials (302) Title (303) Journal (304) Volume (305) Issue (306) Pages (307) Date Journal date on which data nublished: specify as yyyy-mm-dd, lood-yyyy or Season-yyyy (308) Database Accession number assigned by database name (309) Database Entry Date of entry in database: specify as yyyy-mm-dd or Nod-yyyy (310) Patent Document Document number; for patent-type citations only, Specify as, for example, US 07/999,999		•	; • ·	one name per line;		
C302> Title C303> Journal C304> Volume C305> Issue C306> Pages C307> Date Date Journal date on which data published: specify as yyyy-mm-dd, 1001-yyyy or Season-yyyy C300> Database Accession number assigned by database including database name C309> Database Entry Date Date of entry in database: specify as yyyy-mm-dd or 1004-yyyy C310> Patent Document Number Number Document number: for patent-type citations only. Specify as, for example, US 07/999,999 -				Surname, Other Hames and/or		•
(303) Journal (304) Volume (305) Issue (306) Pages (307) Date Date Journal date on which data published: specify as yyyy-mm-dd, reed-ryyy or Season-ryyy (300) Database Accession number Accession Assigned by database including database including database including database name (309) Database Entry Date of entry in database: specify as yyyy-mm-dd or Novel-yyyy (310) Patent Document Number: for patent-type citations only. Specify as, for example, US 07/999,999 -					٠ ،	
C304> Volume C305> Issue C306> Pages C307> Date Date Journal date on which data published: specify as yyyymm-dd, 1904-yyyy or Season-yyyy C300> Database Accession number assigned by database including database name C309> Database Entry Date of entry in database: specify as yyyy-mm-dd or NOM-yyyy C310> Patent Document Document number: for patent-type citations only. Specify as, for example, US 07/999, 999 -		<302>	Title		·	•
(305) Issue (306) Pages (307) Date Journal date on which data published; specify as yyyyymm, dd, 1000-yyyy (300) Database Accession number Accession. Assigned by database nacluding database name (309) Database Entry Date of entry in database: specify as yyyymm-dd or NOO1-yyyy (310) Patent Document Number Document number; for patent-type citations only. Specify as, for example, US 07/999,999 -		<303>	Journal		0	
C306> Pages C307> Date Journal date on which data published; specify as yyyy-mm-dd, 1904-yyyy or Season-yyyy C300> Database Accession number assigned by database including database name C309> Database Entry Date of entry in database: specify as yyyy-mm-dd or NO04-yyyy C310> Patent Document Number for patent-type citations only. Specify as, for example. US 07/999, 999		<304>	Volume	÷	0	
Composition of the control of the co		<305>	Įssue	,		
data published: specify as yyyy-mm- dd, 1004-yyyy or Season-yyyy COON Database Accession number Accession assigned by data- base including database name COON Obtabase Entry Date Coon Coon Database Entry Date of entry in database: specify as yyyy-mm-dd or MOU-yyyy COON COON Patent Document Number Document number: for patent-type citations only. Specify as, for example. US O7/999,999		<306>	Pages			•
dd, 1004-yyyy or Season-yyyy COON Database Accession number Or Accession assigned by database including database name COON Database Entry Date of entry in Ordatabase: specify as yyyy-mm-dd or MOM-yyyy COON Patent Document Document number: Or Number for patent-type citations only. Specify as, for example, US O7/999, 999		<307>	Date	data published;	• •	BEST AVAILABLE COPY
Accession assigned by data- Number base including database name <309> Database Entry Date of entry in O Date database: specify as yyyy-mm-dd or NOM-yyyy <310> Patent Document Document number: O Number for patent-type citations only. Specify as, for example, US 07/999,999 -				dd, 1001- yyyy or -		
Number base including database name <pre> <309></pre>		<308>			0	
database name <309> Database Entry Date of entry in O Date database: specify as yyyy-mm-dd or NOO4-yyyy <310> Patent Document Document number: O Number for patent-type citations only. Specify as, for example, US 07/999,999				base including		
C309> Database Entry Date of entry in ODate database: specify as yyyy-mm-dd or NOM-yyyy C310> Patent Document Document number: ON Number for patent-type citations only. Specify as, for example, US 07/999,999	•		, 1	database name		E
Date database: specify as yyyy-mm-dd or NOO1-yyyy (310) Patent Document Document number: O Number for patent-type citations only. Specify as, for example. US 07/999,999 -						•
as yyyy-mm-dd or MOM-yyyy (310) Patent Document Document number; O Number for patent-type citations only. Specify as, for example, US 07/999,999		<309>			0	
Number for patent-type citations only. Specify as, for example. US 07/999,999 =			Date,	as yyyy-mm-dd or		
example. US 07/999,999		<310>		for patent-type	O	
07/999,999				Specify as, for		
· · · · · · · · · · · · · · · · · · ·				07/999.999 -		.
· · · · · · · · · · · · · · · · · · ·				·		
	of 34				,	

M, under the fol-

Document (iling date. (or patenttype citations only; specify as yyyy-mm-dd

o :

0

<312>

Publication Date Document publication, date, for patent-type citations only: specify as yyyy-mm-dd

<313>

Relevant / Residues

FROM (position) TO (position)

<400>

Scavence

SEQ ID NO should follow the numeric identifier and should appear on the line preceding the actual sequence

5. Section 1.024 is revised to read as follows:

- 1.024 Form and format for nucleotide and/or amino acid sequence submissions in computer readable form.
- (a) The computer readable form required by 1.021(c) shall meet the following specifications:
- (1) The computer readable form shall contain a single "Sequence Listing" as either a districte, series of districtes, or other permissible media: outlined in paragraph (c) of this section.
- (2) The "Sequence Listing" in paragraph (a) (1) of this section shall be submitted in American Standard Code for Information Interchange (ASCII) text. No other formats shall be allowed.
- (3) The computer readable (orm may be created by any means, such as word processors, nucleotide/amino acid sequence editors or other custom computer programs: however, it shall conform to all specifications detailed in this section.
- (4) File compression is acceptable when using diskette media, so long as the compressed file is in a self-extracting format that will decompress on one of the systems described in paragraph (b) of this section.
- 15) Page numbering shall not appear within the computer readable form version of the "Sequence Listing" file.
- (6) All computer readable forms shall have a label permanently affixed thereto on which has been hand-printed or typed: the name of the applicant, the title of the invention, the date on which the data were recorded on the computer readable form, the operating system used, a reference number, and an application serial number and filing date, if known.
- (b) Computer readable form submissions must meet these format requirements:
- (1) Computer: IBM PC/XT/AT. or compatibles. or Apple Macintosh:
- 12) Operating System: MS-DOS, Unix or Macintosh;

1729219 1 53 PM